

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>BELINI CUCINA ITALIAN RISTORANTE, LLC</b>	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>1</b>	Date <b>02/10/2017</b>
Address: <b>603 CHILlicoTHE STREET PORTSMOUTH, OH 45662</b>		Category/Descriptive <b>COMMERCIAL CLASS 3 &lt;25,000 SQ. FT.</b>	
License holder <b>ELIZABETH MELO</b>	Inspection Time (min) <b>75</b>	Travel Time (min) <b>15</b>	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) <b>//</b>	Sample date/result(if required) <b>//</b>

**3717-1 OAC Violation Checked**

**Management and Personnel**

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

**Food**

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

**Equipment, Utensils and Linens**

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

<input checked="" type="checkbox"/> 4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

**Water, Plumbing, and Waste**

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

**Physical Facilities**

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

**Poisonous or Toxic Materials**

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

**Special Requirements**

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

**Administration**

901:3-4 OAC
3701-21 OAC

**Reasons/Comments**

Observed prep cooler doors with broken handles and prep cooler door hinges loose causing poor operation.

3717-1-04.4 Equipment, utensils, and linens: maintenance and operation.

[Comment: For publication dates of the C.F.R. referenced in this rule, see paragraph (B)(15)(b) of rule 3717-1-01 of the Administrative Code.]

(A) Equipment - good repair and proper adjustment.

(1) Equipment shall be maintained in a state of repair and condition that meets the requirements specified under rule 3717-1-04 of the Administrative Code and rule 3717-1-04.1 of the Administrative Code.

(2) Equipment components such as doors, seals, hinges, fasteners, and kick plates shall be kept intact, tight, and adjusted in accordance with manufacturer's specifications.

Corrective Action: To prevent possible contamination, repair/replace prep cooler doors/handles to manufacturers specification by next inspection.

Inspected by <b>LOUIS BOERGER, R.S.</b>	R.S./SIT # <b>3614</b>	Licensor <b>PCHD</b>
Received by 	Title 	Phone <b>1-740-355-3141</b>

As per HEA 5302 4/10 CHC Software, Inc.

As per AGR 1268 4/10 CHC Software, Inc.